

ACCESSION #: 12-009392
 TEST REQUISITION #: T08120250
 ACCOUNT #:
 NPI:
 DATE COLLECTED: 8/06/2012
 DATE RECEIVED: 8/08/2012
 DATE OF REPORT: 8/22/2012
 SPECIMEN RECEIVED: SERUM

PRACTITIONER

PATIENT

 Palmer, Alane
 890 - F Atlanta Street
 Suite #253
 Roswell, GA 30075

 NAME:
 DoB: 6/05/1954
 ID:
 GENDER: F

TEST

RESULTS

ARRAY 3

	Normal	Equivocal*	Out of Range	Numeric Value	Reference (ELISA Index)
Wheat/Gluten Proteome Reactivity & Autoimmunity					
Wheat IgG	X			0.36	0.3-1.5
Wheat IgA	X			0.15	0.1-1.2
Wheat Germ Agglutinin IgG	X			0.67	0.4-1.3
Wheat Germ Agglutinin IgA	X			0.41	0.2-1.1
Native& Deamidated Gliadin 33 IgG	X			0.36	0.2-1.2
Native& Deamidated Gliadin 33 IgA	X			0.28	0.1-1.1
Alpha Gliadin 17-mer IgG	X			0.82	0.1-1.5
Alpha Gliadin 17-mer IgA	X			0.18	0.1-1.1
Gamma Gliadin 15-mer IgG			X	1.53	0.5-1.5
Gamma Gliadin 15-mer IgA	X			0.56	0.1-1.0
Omega Gliadin 17-mer IgG	X			<0.3	0.3-1.2
Omega Gliadin 17-mer IgA	X			0.27	0.1-1.2
Glutenin 21-mer IgG	X			0.47	0.1-1.5
Glutenin 21-mer IgA	X			0.12	0.1-1.3
Gluteomorphin + Prodynorphin IgG	X			0.97	0.3-1.2
Gluteomorphin + Prodynorphin IgA	X			0.22	0.1-1.2
Gliadin-Transglutaminase Complex IgG	X			0.52	0.3-1.4
Gliadin-Transglutaminase Complex IgA	X			0.65	0.2-1.5
Transglutaminase-2 IgG	X			0.74	0.3-1.6
Transglutaminase-2 IgA	X			0.13	0.1-1.6
Transglutaminase-3 IgG			X	1.62	0.2-1.6
Transglutaminase-3 IgA	X			0.25	0.1-1.5
Transglutaminase-6 IgG	X			0.43	0.2-1.5
Transglutaminase-6 IgA	X			0.34	0.1-1.5

*Reference ranges are calculated based on the mean \pm 2 standard deviations (SD). Results >1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.

Dhiren Joshipura, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.